

Herschel Mission Overview and Key Programmes

SPIE Astronomical Instrumentation 2008

Space Telescopes and Instrumentation I: Optical, Infrared, and Millimeter Wave
Marseille, 23-28 June 2008

Göran L. Pilbratt

Herschel Project Scientist

Herschel Science Centre, European Space Agency

Overview



- **What is Herschel?**
 - Herschel heritage
 - Herschel in a nutshell
- **Why Herschel?**
 - Scientific objectives
 - Scientific capabilities
- **Herschel status**
- **Observing opportunities & Key Programmes**
- **Way forward**



HERSCHEL SPACE OBSERVATORY

Overview



- What is Herschel?
 - Herschel heritage
 - Herschel in a nutshell
- Why Herschel?
 - Scientific objectives
 - Scientific capabilities
- Herschel status
- Observing opportunities & Key Programmes
- Way forward




HERSCHEL SPACE OBSERVATORY

- 



-
- A satellite with a large white circular dish and solar panels is shown in orbit above a view of Earth from space, showing white clouds over a blue ocean.

- 
- A vertical poster for the Herschel Space Observatory. The background is a deep space scene with a large, glowing orange and yellow nebula on the right and numerous stars. The Herschel Space Observatory is shown in the lower-left quadrant, angled towards the viewer. It has a large, segmented mirror and various instruments. At the top left is the ESA logo. The text 'Exploring the formation of Galaxies and Stars' is in the upper left. The word 'HERSCHEL' is written vertically in large, white, sans-serif capital letters on the right side. At the bottom left is the text 'European Space Agency' and 'Agence Spatiale Européenne'. On the far right edge, the words 'HERSCHEL SPACE OBSERVATORY' are written vertically in blue, sans-serif capital letters.
- esa
- Exploring the
formation of
Galaxies and Stars
- HERSCHEL
- European Space Agency
Agence Spatiale Européenne
- HERSCHEL SPACE
OBSERVATORY



The background of the slide is a deep-field astronomical image, likely from the Hubble Space Telescope. It shows a dense field of galaxies and stars against a black background. The galaxies are of various shapes and sizes, some appearing as bright, irregular patches of light, while others are more distant and faint. The stars are small, bright points of light, some with visible diffraction patterns. The overall scene is a vast, cosmic landscape.

Herschel – Why and What

The Cool Universe



- **Herschel spectral coverage**
 - ~50% of the energy and most photons are in the IR
 - relatively poorly studied
- **Herschel covers the peak of the SED**
 - do physics
- **Herschel spectral emission**
 - black-bodies 5-50 K
 - continuum radiation
 - dust grains (re-)radiating
 - ‘reprocessed’ UV/optical/NIR emission





HERSCHEL SPACE OBSERVATORY

The Cool Universe



- **Herschel spectral coverage**
 - ~50% of the energy and most photons are in the IR
 - relatively poorly studied
- **Herschel covers the peak of the SED**
 - do physics
- **Herschel spectral emission**
 - gases 10-few100 K
 - brightest atomic/molecular lines
 - C^+
 - H_2O



HERSCHEL SPACE OBSERVATORY

Herschel main objectives




- **Wide-area photometric surveys of the extragalactic and galactic sky**
 - to measure dust-enshrouded starformation activity
 - throughout cosmic time and in our own and nearby galaxies today
- **Detailed studies of the physics and chemistry of the interstellar medium**
 - both locally in our own Galaxy as well as in external galaxies
 - by means of photometric and spectroscopic surveys
- **Observational astrochemistry of gas and dust as a quantitative tool for understanding the stellar/interstellar lifecycle**
 - investigating the physical and chemical processes involved in star formation, early and late stages in stellar evolution
 - Including gas and dust disks around young and mature stars
- **Spectroscopic and photometric study of solar system objects and their atmospheres**
 - also crucial as calibration sources

HERSCHEL SPACE OBSERVATORY

Spacecraft





- telescope (eff) diam (3.3) 3.5 m
- telescope WFE $< 6 \mu\text{m}$
- *telescope temp* $< 90 \text{ K}$
- *telescope emissivity* $< 4\%$
- *abs/rel pointg* (68%) $< 3.7'' / 0.3''$
- science instruments 3
- science data rate 130 kbps
- *cryostat lifetime* $> 3.5 \text{ years}$
- height / width $\sim 7.5 / 4 \text{ m}$
- launch mass $\sim 3300 \text{ kg}$
- power $\sim 1500 \text{ W}$
- orbit 'large' Lissajous around L2
- solar aspect angle 60-120 deg
- launcher (w Planck) Ariane 5 ECA







Science payload



- telescope (eff) diam (3.3) 3.5 m
- telescope WFE $< 6 \mu\text{m}$
- *telescope temp* $< 90 \text{ K}$
- *telescope emissivity* $< 4\%$
- *abs/rel pointg (68%)* $< 3.7'' / 0.3''$
- science instruments 3
- science data rate 130 kbps
- *cryostat lifetime* $> 3.5 \text{ years}$
- height / width $\sim 7.5 / 4 \text{ m}$
- launch mass $\sim 3300 \text{ kg}$
- power $\sim 1500 \text{ W}$
- orbit 'large' Lissajous around L2
- solar aspect angle 60-120 deg
- launcher (w Planck) Ariane 5 ECA



Science capabilities



The background of the slide is a deep-field astronomical image, likely from the Hubble Space Telescope. It shows a dense field of galaxies and stars. The galaxies are of various shapes and sizes, including spiral, elliptical, and irregular forms. Some are bright and clear, while others are faint and distant. The stars appear as small, bright points of light, some with visible diffraction patterns. The overall color palette is dominated by the black of space, with highlights in white, yellow, orange, and blue from the celestial objects.

Current status

Current status





- Herschel instruments were delivered and integrated in the cryostat in mid-2007 in Astrium, Friedrichshafen
- Cryostat and service module were mated in Sep 2007
- Herschel came to the ESTEC Test Centre on 5 Jan 2008
- Cooldown started 13 Feb, full HTT on 1 Mar
- Herschel in He-I conditions ever since
- SVT-1 performed 11-20 Mar
- HSS has been integrated – 2nd week of Apr
- The telescope has been integrated – 3rd week of Apr
- Instrument tests in He-I conditions
- Spacecraft ‘completion’ achieved in May => mechanical validation underway

HERSCHEL SPACE OBSERVATORY

Flight payload integration




- FM instrument deliveries and integration in Astrium
- SPIRE – April 2007
- PACS – July 2007
- HIFI – July 2007



HERSCHEL SPACE OBSERVATORY












sa


module 5.1
















The background of the slide is a deep-field astronomical image, likely from the Hubble Space Telescope. It shows a dense field of galaxies and stars against a black background. The galaxies are of various shapes and sizes, some appearing as bright, irregular patches of light, while others are more distant and faint. The stars are small, bright points of light, some with visible diffraction patterns. The overall scene is a vast, cosmic landscape.

Observing Opportunities

– Key Programmes



Herschel observing opportunities

- **Herschel is an observatory**
 - Guaranteed and Open Time
 - Open Time open to worldwide scientific community
 - Standard competitive proposal procedure
- **Routine science operations phase (36 months)**
 - Approx 1000 days / 20000 hours of schedulable science time
 - **Guaranteed time programmes – GT (32%)**
 - open for GT holders only
 - **Open time programmes – OT (68%)**
 - including discretionary time and targets of opportunity
 - open for all – including GT holders
- **Three ‘Call for proposals’ (AO) cycles are foreseen**
 - one Call for ‘Key Projects’ programmes only (GT and OT) – **concluded!**
 - two Calls for regular programmes (GT and OT)
- **Each AO will be divided in two parts**
 - GT awarded first
 - OT awarded after GT in same cycle

HERSCHEL SPACE OBSERVATORY

Approved proposals

• KP GT

– Submitted:	21	6148.7h
– Approved:	21	5878.9h

• KP OT

– Submitted:	62	17984.6h
– Approved:	21	5378.8h

• KP total

– Submitted:	83	24133.3h
– Approved:	42	11257.7h


Approved proposals by science areas



Science category	KP GT		KP OT		KP Total	
	Proposals	Hours	Proposals	Hours	Proposals	Hours
Solar system	1	293.7	1	372.7	2	666.4
ISM/Star formation	10	2337.5	10	2113.2	20	4450.7
Stars	2	544.6	0	0	2	544.6
Galaxies/ AGNs	5	983.7	8	1930.3	13	2914.0
Cosmology	3	1719.4	2	962.6	5	2682.0


HERSCHEL SPACE OBSERVATORY

Sky distribution of targets



HERSCHEL SPACE OBSERVATORY

Instrument use share



Herschel mission phases



- **Launch and early operations (LEOP) – month 1**
 - telescope kept warm during s/c cooldown (~20 days)
 - cryo-cover opening (first light!) ~1 month after launch
- **Commissioning and performance verification – months 2-5**
 - PV plans being established
 - telescope cooling down (~50 days)
 - availability of particular sources (often solar system objects)
- **Science demonstration phase – month 6**
 - optimise how to best operate the observatory using in-flight knowledge (sensitivities, stability, background, pointing, ...)
 - demonstrate the capabilities of the observatory
 - convince ourselves we can achieve expected science objectives
 - generate ‘pretty pictures’ – and ‘pretty spectra’ – for PR
 - **workshop & observations updating for routine phase**
- **Routine science operations phase (month 7 onwards)**
 - until depletion of helium
- **Next AO cycle – Call for proposals**

HERSCHEL SPACE OBSERVATORY

The background of the slide is a deep-field astronomical image, likely from the Hubble Space Telescope. It shows a dense field of galaxies and stars against a black background. The galaxies are of various shapes and sizes, some appearing as bright, irregular patches of light, while others are more distant and faint. The stars are small, bright points of light, some with visible diffraction patterns. The overall scene is a vast, cosmic landscape.

Way forward


Planned activities



- **Mechanical testing** **Jun 2008**
 - Acoustics Jun 2008
 - Vibration Jun 2008
- **He-II production** **Jun – Jul 2008**
 - System tests in He-II Jul 2008
 - Payload performance tests Jul-Aug 2008
 - End-to end tests Jul 2008
 - Launch autonomy test Jul – Aug 2008
 - TB/TV test (in LSS) Aug – Sep 2008
 - More end-to-end tests Sep 2008
 - Final tests & packing Oct 2008
- **FAR** **Sep – Oct 2008**
- **Launch campaign** **Oct – Dec 2008**
- **Launch readiness** **end 2008**

HERSCHEL SPACE OBSERVATORY

Herschel launch window



HERSCHEL SPACE OBSERVATORY

Herschel Science Centre - Mozilla Firefox

File Edit View History Bookmarks Tools Help

http://herschel.esac.esa.int/latest_news.shtml

Herschel Science Centre ANWB - Webwinkel - Internationaal rijb...

Research & Science Home ESA Public Web Site Sci-Tech Portal Herschel Public Web Site Herschel Sci-Tech Portal

esa Herschel Science Centre European Space Agency

Astrophysics Missions Planetary Exploration Missions Solar Terrestrial Science Missions Fundamental Physics Missions Science Faculty

20-June-2008 13:53:02

Herschel Latest News

Herschel General Information

- Herschel Science Centre Home
- Latest News**
- Mission Overview
- Science Instruments
- Community Information
- Conferences/Workshops
- Press Releases
- e-News
- Useful links

Herschel Observing

- Introduction and Overview
- Documentation
- Tools
- Key Programmes
- Latest AO

Herschel Data


- Data Processing
- Data Products
- Science Archive

Herschel User Services

- Services Overview
- Helpdesk
- Proposal Handling
- Subscribe to Herschel eMail list



Herschel acoustic testing performed. Based on the availability of test facilities it was decided to perform acoustics testing before vibration rather than, as initially foreseen, the other way round. In the pictures above Herschel is seen during the final test preparations in the Large European Acoustic Facility (LEAF) in the ESTEC Test Centre. The left picture also provides a nice view of the local oscillator unit (LOU) radiator. The telescope cover has been removed which indicates that the start of testing is imminent. The 'rings' which can be seen (in visible light!) on the telescope primary mirror is a purely cosmetic effect. The acoustics testing runs were performed on 5-6 June 2008. [June 2008]



Herschel mechanical testing underway. After completing the EMC campaign mechanical testing of Herschel is now underway. The initial activities concerned PACS chopper and grating tuning which was performed with the spacecraft inclined at an angle of 20° (left two pictures). Then exceptionally Herschel was tilted 90° to perform SPIRE SMEC testing, and the telescope cover was removed to perform an M1-M2 distance confirmation measurement (right two pictures) which will be repeated after the upcoming vibration and acoustics tests at spacecraft level have been performed; see also the [SciTech](#)

Launch



- Launch in early 2009 from Kourou
 - Using an Ariane 5 ECA
 - Shared with Planck
- Date under negotiation



HERSCHEL SPACE OBSERVATORY

