

S.Oliver@sussex.ac.uk

The Herschel Multi-Tiered Extragalactic Survey: HerMES



One of the primary motivations for Herschel was to explore star formation in the distant Universe. Herschel thus invested a significant fraction of its time undertaking a multi-tiered extragalactic survey, HerMES. HerMES mapped around 400 deg² in the best studied extragalactic fields on the sky and has uncovered 100s of thousands of distant star forming galaxies. HerMES will be a huge legacy of Herschel, providing many insights into the cosmic evolution of star formation.





These images are RGB versions of SPIRE 250, 350 and 500µm maps of the HerMES COSMOS field.

One is the real image.

One is a simulation based on an extended halo model of galaxies including their luminosities and clustering which fits the SPIRE P(D) and cross Power Spectra (see below).

Which is which?

Vote now

http://bit.ly/GNPCGd





HERMES

HerMES highlights

- Maps contain most of the signal in peak of CIRB e.g. Nguyen et al. 2010, Glenn et al. 2010, Bethermin et al. 2012
- Constraining full FIR luminosity & SEDs e.g. Symeonidis et al. 2013
- Powerful constraints on Luminosity Funcitions & cosmic SFR density
- e.g. Vaccari et al. 2010, Casey et al. 2012, Gruppionni et al. 2013
- Progenitors of massive galaxies e.g. Cooray et al. 2010, Amblard et al. 2011, Viero et al. 2013
- SPIRE preferentially picks up SF not AGN torus, e.g. Hatziminaoglou et al. 2010
- Suppression of star formation in high Lx AGN e.g. Page et al. 2012
- Discovery of very high-z, star burst galaxies e.g. Riechers et al. 2013
- Lensing e.g. Conley et al. 2011, Wardlow et al. 2013



400 deg² in 13 locations over ~7 depths. Survey description in Oliver et al. 2012

Progenitors of massive galaxies

• Large high fidelity maps

The fast mapping speed and well behaved noise properties of Herschel-SPIRE (Griffin et al. 2010) enable accurate measurement of the clustering of high-z FIR galaxies.

Clustering measurements

HerMES have measured clustering in catalogues (Cooray et al. 2010), maps (Amblard et al. 2011) and the cross-power spectrum between SPIRE bands (250, 350, 500µm, Viero et al. 2013). We have made robust measurements of the smallscale "1-halo term"

Linking to descendants

The clustering statistics of the galaxies are related to the clustering of their dark matter halo hosts. Dark matter evolution is well understood and thus we can link the FIR galaxies to their descendants today

- A new model characterisation of FIR galaxy populations We are able to construct an extended halo model of galaxies describing galaxy populations and their evolution which fits the clustering results (Viero et al. 2013) and the P(D) (Glenn et al. 2011). This finds that the halo mass that is most effective for star formation is $\log(M_{peak}/M_{\odot}) \sim 12.1 \pm 0.5$ (Viero et al. 2013).
- Synthetic maps

This model is being used to generate highly realistic synthetic data sets, as seen above (Wang et al. 2013).

HerMES Data releases





Second data release (DR2) 2013 October SPIRE maps and catalogues from all fields from levels 1-6

First data release (DR1) of HerMES data. 2012 April 3rd, The maps cover \sim 74 deg² of the sky, i.e. a volume of 6.6e8 (Mpc)³ for z < 1.5 (and many of the galaxies that we

HerMES @ The Universe explore by Herschel

Number

- **6a 10:20** On the Redshift Evolution (0 < z < 4) of Dust Attenuation and of the total (UV+IR) Star Formation Rate Density D. Burgarella et al.
- 7a 12:20 HerMES: Herschel/SPIRE-Selected Massive Starburst Galaxies at very high Redshifts I. Perez-Fournon et al
- HERMES: Unveiling Obscured Star Formation in Ultraviolet Selected Galaxies from z=1.5 to z=4 Buat, V.
- Multivariate Analysis of the SPIRE Maps: Using Principle Component Analysis as a Basis for P(D) Fluctuation Analysis Clarke, C. L. et
- The Herschel PEP/HerMES Luminosity Function: Probing the Evolution of PACS selected Galaxies to z~4 Gruppioni, C. et al Infrared SEDs and Morphologies of Herschel Selected Galaxies in the COSMOS Field P26 Lee, N. et al. The Evolving ISM of Star Forming Galaxies Over the Last 10 Billion Years P29 Magdis, G. E. et al. The Deepest Herschel View of the Universe: Cosmic Star-Formation History and Dust Temperatures of Galaxies up to z=2 P31 Magnelli, B. et al. The Herschel Multi-Tiered Extragalactic Survey: HerMES P33

References

Amblard, A. et al., 2011. *Nature*, **470**, 510 Bethermin, M. et al., 2012. A&A, **542**, 58 Burgarella, D. et al., 2013. A&A, **554**, 70 Casey, C.M., et al., 2012. ApJ, 761, 139. Conley, A. et al., 2011. *ApJL*, **732**, L35 Cooray, A. et al., 2010. *A&A*, **518**, L22 Elbaz, D. et al., 2010. A&A, **518**, L29 Glenn, J. et al., 2010. MNRAS, 409, 109 Griffin M. J. et al., 2010. A&A, 518, L3 Gruppioni, C. et al., 2013. MNRAS, **432**, 23 Hatziminaoglou, E. et al., 2010. *A&A*, **518**, L33 Nguyen, H.T. et al., 2010. *A&A*, **518**, L5 All HerMES publications on ADS here Oliver S. J. et al., 2012. MNRAS, 424, 1614 Page, M.J. et al., 2012. *Nature*, **485**, 213 Pilbratt G. L. et al., 2010. A&A, **518**, L1 Riechers, D.A. et al., 2013. Nature, 496, 329 Symeonidis, M. et al., 2013. MNRAS, 431, 2317 Vaccari, M. et al., 2010. A&A, **518**, L20 Viero, M.P. et al., 2013. *ApJ*, **772**, 77 Wang, L. et al., 2013. in prep. Wardlow, J.L. et al., 2013. *ApJ*, **762**, 59

Acknowledgements

Seb Oliver, and Charlotte Clarke acknowledge STFC funding.

HerMES is a Herschel-SPIRE guaranteed time project.

see are expected to be at z>1.5) q.v. the SDSS which maps a volume of 3.5e8 (Mpc)³ for z<0.17. The catalogues extracted from these maps include over 50, 000 catalogue entries, representing over 17,000 galaxies.

Second *Early Data Release* of HerMES data. 2011 Sept.19th,

2010, July 1st, First release of data.

hedam.lam.fr/HerMES/



- Oliver, S. et al
- QSOs, Winds and Star Formation: X-Ray and Submillimetre Observations of AGN in the Epoch of Galaxy Formation. P35 Page, M. et al.
- HeDaM: The Herschel Database in Marseille P40 Roehlly, Y. et al.
- The Herschel Census of Infrared SEDs through Cosmic Time P48 Symeonidis, M. et al.
- The Evolution of the FIR/SMM Luminosity Function and of the Cosmic Star Formation Rate Density of SPIRE-Selected Galaxies P50 Vaccari, M. et al.
- Gravitationally Lensed Galaxies Detected by HerMES P52 Wardlow, J. et al.
- Star Formation Enhancement In Close Major-Merger Pairs with z < 1 P53 Xu, C.K.



http://bit.ly/GNPZR6

